























## 7. REFERENCES

- [1] D. Agarwal. An empirical bayes approach to detect anomalies in dynamic multidimensional arrays. In *Proc. of the IEEE International Conference on Data Mining*, 2005.
- [2] C. C. Aggarwal. Outlier ensembles: Position paper. *ACM SIGKDD Explorations Newsletter*, 2013.
- [3] A. Bernardi, J. Brachet, P. Comon, and B. Mourrain. General tensor decomposition, moment matrices and applications. *Journal of Symbolic Computation*, 2013.
- [4] M. M. Breunig, H.-P. Kriegel, R. T. Ng, and J. Sander. Lof: identifying density-based local outliers. In *Proc. of the ACM SIGMOD International Conference on Management of Data*, volume 29, 2000.
- [5] C. A. Catania, F. Bromberg, and C. G. Garino. An autonomous labeling approach to support vector machines algorithms. for network traffic anomaly detection. *Expert Systems with Applications*, 2012.
- [6] V. Chandola, A. Banerjee, and V. Kumar. Anomaly detection: A survey. *ACM Computing Surveys*, 2009.
- [7] S. Chang, G.-J. Qi, C. C. Aggarwal, J. Zhou, M. Wang, and T. S. Huang. Factorized similarity learning in networks. In *Proc. of the IEEE International Conference on Data Mining*, 2014.
- [8] S. R. Gaddam, V. V. Phoha, and K. S. Balagani. K-means+ id3: A novel method for supervised anomaly detection by cascading k-means clustering and id3 decision tree learning methods. *IEEE Transactions on Knowledge and Data Engineering*, 2007.
- [9] J. Gao, W. Fan, D. Turaga, O. Verscheure, X. Meng, L. Su, and J. Han. Consensus extraction from heterogeneous detectors to improve performance over network traffic anomaly detection. In *Proc. of the IEEE International Conference on Computer Communications Mini-Conference*, 2011.
- [10] L. Ge, J. Gao, X. Li, and A. Zhang. Multi-source deep learning for information trustworthiness estimation. In *Proc. of the ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*, 2013.
- [11] L. Ge, J. Gao, X. Yu, W. Fan, and A. Zhang. Estimating local information trustworthiness via multi-source joint matrix factorization. In *Proc. of the IEEE International Conference on Data Mining*, 2012.
- [12] J. Han and J. Z. Zhang. Network traffic anomaly detection using weighted self-similarity based on emd. In *Proc. of the IEEE SoutheastCon*, 2013.
- [13] D. J. Hill and B. S. Minsker. Anomaly detection in streaming environmental sensor data: A data-driven modeling approach. *Environmental Modelling and Software*, 2010.
- [14] H. Huang, H. Al-Azzawi, and H. Brani. Network traffic anomaly detection. *arXiv preprint arXiv:1402.0856*, 2014.
- [15] X. Jia, N. Du, J. Gao, and A. Zhang. Analysis on community variational trend in dynamic networks. In *Proc. of the ACM International Conference on Conference on Information and Knowledge Management*, 2014.
- [16] W. Jin, A. K. Tung, and J. Han. Mining top-n local outliers in large databases. In *Proc. of the ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*, 2001.
- [17] T. G. Kolda and B. W. Bader. Tensor decompositions and applications. *SIAM review*, 2009.
- [18] T. Lane and C. E. Brodley. Temporal sequence learning and data reduction for anomaly detection. *ACM Transactions on Information and System Security*, 1999.
- [19] D. Liu, C.-H. Lung, I. Lambadaris, and N. Seddigh. Network traffic anomaly detection using clustering techniques and performance comparison. In *Proc. of the IEEE Canadian Conference on Electrical and Computer Engineering*, 2013.
- [20] M. P. Mackrell, K. J. Twilley, W. P. Kirk, L. Q. Lu, J. L. Underhill, and L. E. Barnes. Discovering anomalous patterns in network traffic data during crisis events. In *Proc. of the IEEE Systems and Information Engineering Design Symposium*, 2013.
- [21] E. Papalexakis, U. Kang, C. Faloutsos, N. Sidiropoulos, and A. Harpale. Large scale tensor decompositions: Algorithmic developments and applications. *IEEE Data Engineering Bulletin*, 2013.
- [22] M. Roughan, T. Griffin, Z. M. Mao, A. Greenberg, and B. Freeman. Ip forwarding anomalies and improving their detection using multiple data sources. In *Proc. of the ACM SIGCOMM Workshop on Network Troubleshooting*, 2004.
- [23] D. B. Roy and R. Chaki. State of the art analysis of network traffic anomaly detection. In *Proc. of the IEEE Applications and Innovations in Mobile Computing Conference*, 2014.
- [24] M. Schmidt and S. Mohamed. Probabilistic non-negative tensor factorisation using markov chain monte carlo. In *Proc. of the European Signal Processing Conference*, 2009.
- [25] A. Shashua and T. Hazan. Non-negative tensor factorization with applications to statistics and computer vision. In *Proc. of the ACM International Conference on Machine Learning*, 2005.
- [26] J. Sun, S. Papadimitriou, and S. Y. Philip. *Tensor Analysis on Multi-aspect Streams*. Springer, 2007.
- [27] A. Wagner and B. Plattner. Entropy based worm and anomaly detection in fast ip networks. In *Proc. of the IEEE International Workshops on Enabling Technologies*, 2005.
- [28] F. Wang, T. Li, and C. Zhang. Semi-supervised clustering via matrix factorization. In *Proc. of the SIAM International Conference on Data Mining*, 2008.
- [29] H. Xiao, Y. Li, J. Gao, F. Wang, L. Ge, W. Fan, L. Vu, and D. Turaga. Believe it today or tomorrow? detecting untrustworthy information from dynamic multi-source data. In *Proc. of the SIAM International Conference on Data Mining*, 2015.
- [30] L. Xiong, X. Chen, T.-K. Huang, J. G. Schneider, and J. G. Carbonell. Temporal collaborative filtering with bayesian probabilistic tensor factorization. In *Proc. of the SIAM International Conference on Data Mining*, 2010.
- [31] N. Ye et al. A markov chain model of temporal behavior for anomaly detection. In *Proc. of the IEEE Systems, Man, and Cybernetics Information Assurance and Security Workshop*, 2000.