





















**Figure 6: Run times (6(a)) and Random Access Memory consumption (6(b)) in function of threshold  $\alpha$  for ROCKER on dataset DBpedia Monument.**

detection of property alignments and use those alignments within the context of link discovery.

## 9. REFERENCES

- [1] A. Arasu, C. Ré, and D. Suciu. Large-scale deduplication with constraints using dedupalog. In *Data Engineering, 2009. ICDE'09. IEEE 25th International Conference on*, pages 952–963. IEEE, 2009.
- [2] M. Atencia, J. David, and J. Euzenat. Data interlinking through robust linkkey extraction. In T. Schaub, G. Friedrich, and B. O’Sullivan, editors, *Proc. 21st european conference on artificial intelligence (ECAI), Praha (CZ)*, pages 15–20, Amsterdam (NL), 2014. IOS press.
- [3] S. Auer, J. Lehmann, and A.-C. N. Ngomo. Introduction to linked data and its lifecycle on the web. In *Reasoning Web*, pages 1–75, 2011.
- [4] M. Cheatham and P. Hitzler. String similarity metrics for ontology alignment. In *The Semantic Web—ISWC 2013*, pages 294–309. Springer, 2013.
- [5] R. H. Chiang, T. M. Barron, and V. C. Storey. Reverse engineering of relational databases: Extraction of an eer model from a relational database. *Data & Knowledge Engineering*, 12(2):107–142, 1994.
- [6] N. P. Danai Symeonidou, Vincent Armant and F. Saïs. Sakey: Scalable almost key discovery in rdf data. In *ISWC 2014*, 2014.
- [7] I. F. Ilyas, V. Markl, P. Haas, P. Brown, and A. Aboulmaga. Cords: automatic discovery of correlations and soft functional dependencies. In *Proceedings of the 2004 ACM SIGMOD international conference on Management of data*, pages 647–658. ACM, 2004.
- [8] J. Lehmann and P. Hitzler. Concept learning in description logics using refinement operators. *Machine Learning*, 78(1-2):203–250, 2010.
- [9] H. Mannila and K.-J. Räihä. Algorithms for inferring functional dependencies from relations. *Data & Knowledge Engineering*, 12(1):83–99, 1994.
- [10] H. Mannila and H. Toivonen. Levelwise search and borders of theories in knowledge discovery. *Data Min. Knowl. Discov.*, 1(3):241–258, 1997.
- [11] E. Marx, T. Soru, S. Shekarpour, S. Auer, A.-C. Ngonga Ngomo, and K. Breitman. Towards an efficient RDF dataset slicing. *International Journal of Semantic Computing*, 07(04):455–477, 2013.
- [12] M. Michelson and C. A. Knoblock. Learning blocking schemes for record linkage. In *AAAI*, pages 440–445. AAAI Press, 2006.
- [13] A.-C. Ngonga Ngomo. A Time-Efficient Hybrid Approach to Link Discovery. In *OM*, 2011.
- [14] A.-C. Ngonga Ngomo. Link Discovery with Guaranteed Reduction Ratio in Affine Spaces with Minkowski Measures. In *ISWC*, pages 378–393, 2012.
- [15] A.-C. Ngonga Ngomo and S. Auer. LIMES - A Time-Efficient Approach for Large-Scale Link Discovery on the Web of Data. In *IJCAI*, pages 2312–2317, 2011.
- [16] A.-C. Ngonga Ngomo, J. Lehmann, S. Auer, and K. Höffner. RAVEN – Active Learning of Link Specifications. In *OM*, 2011.
- [17] A. Nikolov, M. d’Aquin, and E. Motta. Unsupervised learning of link discovery configuration. In *ESWC*, pages 119–133, 2012.
- [18] N. Pernelle, F. Saïs, and D. Symeonidou. An automatic key discovery approach for data linking. *Web Semantics: Science, Services and Agents on the World Wide Web*, 23:16–30, 2013.
- [19] F. Saïs, N. Pernelle, and M.-C. Rousset. Combining a logical and a numerical method for data reconciliation. In *Journal on Data Semantics XII*, pages 66–94. Springer, 2009.
- [20] M. Saleem, S. S. Padmanabhuni, A.-C. N. Ngomo, J. S. Almeida, S. Decker, and H. F. Deus. Linked cancer genome atlas database. In *Proceedings of the 9th International Conference on Semantic Systems*, pages 129–134. ACM, 2013.
- [21] F. Scharffe, Y. Liu, and C. Zhou. Rdf-ai: an architecture for rdf datasets matching, fusion and interlink. In *Proc. IJCAI 2009 workshop on Identity, reference, and knowledge representation (IR-KR), Pasadena (CA US)*, 2009.
- [22] D. Song and J. Hefflin. Automatically generating data linkages using a domain-independent candidate selection approach. In *The Semantic Web—ISWC 2011*, pages 649–664. Springer, 2011.
- [23] T. Soru and A.-C. Ngonga Ngomo. Active learning of domain-specific distances for link discovery. In *Proceedings of JIST*, 2012.
- [24] C. Stadler, J. Lehmann, K. Höffner, and S. Auer. Linkedgeodata: A core for a web of spatial open data. *Semantic Web*, 3(4):333–354, 2012.