

References

- [1] R. P. Adams and D. J. MacKay. Bayesian online change-point detection. Cambridge, UK, 2007.
- [2] R. Al-Rfou, B. Perozzi, and S. Skiena. Polyglot: Distributed word representations for multilingual nlp. In *CoNLL*, 2013.
- [3] M. Basseville and I. V. Nikiforov. *Detection of Abrupt Changes: Theory and Application*. Prentice-Hall, Inc., Upper Saddle River, NJ, USA, 1993.
- [4] Y. Bengio, H. Schwenk, et al. Neural probabilistic language models. In *Innovations in Machine Learning*, pages 137–186. Springer, 2006.
- [5] Y. Bengio et al. Representation learning: A review and new perspectives. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 35(8):1798–1828, 2013.
- [6] L. Bottou. Stochastic gradient learning in neural networks. In *Proceedings of Neuro-Nîmes. EC2*, Nîmes, France, 1991. EC2.
- [7] H. A. Carneiro and E. Mylonakis. Google trends: A web-based tool for real-time surveillance of disease outbreaks. *Clinical Infectious Diseases*, 49(10):1557–1564, 2009.
- [8] Y. Chen, B. Perozzi, R. Al-Rfou, and S. Skiena. The expressive power of word embeddings. *CoRR*, abs/1301.3226, 2013.
- [9] H. Choi and H. Varian. Predicting the present with google trends. *Economic Record*, 88:2–9, 2012.
- [10] R. Collobert, J. Weston, et al. Natural language processing (almost) from scratch. *J. Mach. Learn. Res.*, 12: 2493–2537, Nov. 2011.
- [11] D. Crystal. *Internet Linguistics: A Student Guide*. Routledge, New York, NY, 10001, 1st edition, 2011.
- [12] B. Efron and R. J. Tibshirani. An introduction to the bootstrap. 1971.
- [13] J. R. Firth. *Papers in Linguistics 1934-1951: Repr.* Oxford University Press, 1961.
- [14] Y. Goldberg and J. Orwant. A dataset of syntactic-ngrams over time from a very large corpus of english books. In **SEM*, 2013.
- [15] K. Gulordava and M. Baroni. A distributional similarity approach to the detection of semantic change in the google books ngram corpus. In *GEMS*, July 2011.
- [16] D. Immerwahr. The books of the century, 2014. URL <http://www.ocf.berkeley.edu/~immer/books1970s>.
- [17] A. Jatowt and K. Duh. A framework for analyzing semantic change of words across time. In *Proceedings of the Joint JCDL/TPDL Digital Libraries Conference*, 2014.
- [18] P. Juola. The time course of language change. *Computers and the Humanities*, 37(1):77–96, 2003.
- [19] Y. Kim, Y.-I. Chiu, K. Hanaki, et al. Temporal analysis of language through neural language models. In *ACL*, 2014.
- [20] J. Lijffijt, T. Säily, and T. Nevalainen. Ceecing the baseline: Lexical stability and significant change in a historical corpus. *VARIENG*, 2012.
- [21] J. Lin. Divergence measures based on the shannon entropy. *IEEE Transactions on Information Theory*, 37(1):145–151, 1991.
- [22] Y. Lin, J. B. Michel, E. L. Aiden, J. Orwant, W. Brockman, and S. Petrov. Syntactic annotations for the google books ngram corpus. In *ACL*, 2012.
- [23] J. Mann, D. Zhang, et al. Enhanced search with wildcards and morphological inflections in the google books ngram viewer. In *Proceedings of ACL Demonstrations Track*. Association for Computational Linguistics, June 2014.
- [24] G. Merchant. Teenagers in cyberspace: an investigation of language use and language change in internet chatrooms. *Journal of Research in Reading*, 24:293–306, 2001.
- [25] J. B. Michel, Y. K. Shen, et al. Quantitative analysis of culture using millions of digitized books. *Science*, 331(6014):176–182, 2011.
- [26] T. Mikolov et al. Linguistic regularities in continuous space word representations. In *Proceedings of NAACL-HLT*, 2013.
- [27] T. Mikolov et al. Distributed representations of words and phrases and their compositionality. In *NIPS*, 2013.
- [28] T. Mikolov et al. Efficient estimation of word representations in vector space. *CoRR*, abs/1301.3781, 2013.
- [29] S. Mitra, R. Mitra, et al. That’s sick dude!: Automatic identification of word sense change across different timescales. In *ACL*, 2014.
- [30] A. Mnih and G. E. Hinton. A scalable hierarchical distributed language model. *NIPS*, 21:1081–1088, 2009.
- [31] F. Morin and Y. Bengio. Hierarchical probabilistic neural network language model. In *Proceedings of the international workshop on artificial intelligence and statistics*, pages 246–252, 2005.
- [32] B. Perozzi, R. Al-Rfou, V. Kulkarni, and S. Skiena. Inducing language networks from continuous space word representations. In *Complex Networks V*, volume 549 of *Studies in Computational Intelligence*, pages 261–273. 2014.
- [33] B. Perozzi, R. Al-Rfou, and S. Skiena. Deepwalk: Online learning of social representations. In *KDD*, New York, NY, USA, August 2014. ACM.
- [34] D. E. Rumelhart, G. E. Hinton, and R. J. Williams. Learning representations by back-propagating errors. *Cognitive modeling*, 1:213, 2002.
- [35] T. Säily, T. Nevalainen, and H. Siirtola. Variation in noun and pronoun frequencies in a sociohistorical corpus of english. *Literary and Linguistic Computing*, 26(2): 167–188, 2011.
- [36] D. J. Schiano, C. P. Chen, E. Isaacs, J. Ginsberg, U. Gretarsdottir, and M. Huddleston. Teen use of messaging media. In *Computer Human Interaction*, pages 594–595, 2002.
- [37] S. A. Tagliamonte and D. Denis. Linguistic Ruin? LOL! Instant messaging and teen language. *American Speech*, 83:3–34, 2008.
- [38] W. A. Taylor. Change-point analysis: A powerful new tool for detecting changes, 2000.
- [39] D. T. Wijaya and R. Yeniterzi. Understanding semantic change of words over centuries. In *DETECT*, 2011.